



Nova Skylight

Roll-up system adapted to all types
of attic windows.

Maximum width 1200 mm

Maximum height 1400 mm

Color White Anodized aluminum

Operating systems Manual

Installation In opening

Options Extendable wand

Windows with slopes of up to 60°



Totally adaptable

Adaptable to all types of skylights thanks to the wide variety of brackets that enable this shade to be placed in different ceiling openings and many window models.

Compatible with the following manufacturers:

VELUX, ROTO, FAKRO, ROOFLITE, MEETH, KEYLITE, FS-STUDIO, DÖRKEN, DELTA, BRAAS, BLEFA, BEIJER.

By simply providing the name of the manufacturer, the reference number and the window model on the order, measuring can be avoided.

Profile colors

White

Anodized aluminum

Fabric diversity

Variety of colors and technical fabric finishings for the roll-up system.



Blackout fabrics

Our fabrics collection includes a wide range of smooth and patterned concealing fabrics with multiple textures and colors and provides an almost total opacity to the room.




Air purifying shades

As a result of Bandalux' ongoing technological innovation and its commitment to sustainability, it has launched a new shade able to purify the air in any room.

Application of a nanocoating on the technical fabric


The shade is treated as follows:



A mixture of oxide minerals is applied to the shade's fabric.



This mixture is naturally activated by sunlight or artificial lighting.



When it is activated, any contaminant particles in the air are removed (viruses, bacteria, fungi, contamination, and volatile organic compounds).



Great versatility

- Applicable to all Roller Shades systems, Box range, Fit Box, Skylight and Sliding Panel.
- Available in the Polyscreen® 550, in a range of colors.

POLYSCREEN® 550 AIRPURE®



Nova Skylight

OPTIONS

SERVED BY DEFAULT



MANUAL OPERATED NOVA SYSTEM WITH BOTTOM BAR-HANDLE



PROFILE COLORS

White Anodized aluminum

! If you do not indicate a different color on the order form or eBa, it will be served in white by default.

COLLECTION AIRPURE®

BANDALUX




airPURE®
BLINDS & SHADES

AIRPURE® SHADES:

- Collection Polyscreen® 550 Airpure® in the following colors: Ash, Pearl, White, White Linen and White Pearl.

OTHER OPTIONS



SHORT ASSEMBLED WAND

Retracted = 900mm
Deployed = 1500mm

LARGE ASSEMBLED WAND

Retracted = 1500mm
Deployed = 3000mm

TECHNICAL DATA

MINIMUM AND MAXIMUM SIZES

System	Model	Shade width		Shade height		Surface		Tolerance* % (Width / Height)
		Maximum	Minimum	Maximum	Minimum	Maximum	Minimum	
SYSTEM NOVA	Manual	1200 mm	350 mm	1400 mm*	300 mm	1,7 m ²	0,15 m ²	±0,2% / ±0,5%

! * In accordance with the european standard EN13120.

contract.bandalux.com

bandalux.com