



Imagine Skylight

Pleated system adapted to all types of attic windows.

Maximum width 1500 mm

Maximum height 2200 mm

Color  White RAL 9016,  Ivory (RAL 9001),  Brown (RAL 8019)
 Grey (RAL 9006),  Metallic Grey (DB 703)

Operating systems Handle

Installation In opening

Options Extendable wand, Side guides, NIGHT & DAY Models
Lower, upper and variable stacking

Functional and aesthetic

Imagine system

PLEATED FABRIC

An array of blackout fabrics, different transparencies in a wide range of colors and textures for pleated fabric shade systems.

PLEATED TEXTILE NIGHT & DAY

Possibility of combining a dark fabric and a translucent fabric to gain either visual comfort or privacy at any time of the day.



Profile colors

- ☐ White RAL 9016
- ☐ Ivory RAL 9001
- ☐ Gray RAL 9006
- ☐ Brown RAL 8019
- ☐ Metal Gray DB 703




Operating system with handle

When the pleated shade installed at an inaccessible height, it can be operated using a telescopic wand.




Solar Elegant Wetex®



- Pleated fabric with waterproofing.
- Ideal for damp places (greenhouses, bathrooms...)
- Prevents the growth of mildew caused by condensation.
- Ecological fabric free of formaldehydes and halogens.




Windows
tilted up to
60°



Two types of fabrics. Two solutions

PLEATED FABRIC:
20 mm pleat

Available in many different
colors, textures and
transparencies.



CELL FABRIC:
25mm pleat

- Inner beehive-like cell.
- 100% darkness.
- Thermal insulation.



Totally adaptable

Adaptable to all types of skylights thanks to the wide variety of brackets that enable this shade to be placed in different ceiling openings and many window models.

Compatible with the following manufacturers:

VELUX, ROTO, MEETH, FS-STUDIO, DÖRKEN,
DELTA, BRAAS, BLEFA, BEIJER.

By simply providing the name of the manufacturer, the reference number and the window model on the order, measuring can be avoided.

Imagine Skylight

➔ OPTIONS

SERVED BY DEFAULT

HANDLE



PROFILE COLORS

- ☐ White RAL 9016
 ☐ Grey RAL 9006
 ☐ Ivory RAL 9001
☐ Brown RAL 8019
 ☐ Gray Metal DB 703

1. If you do not indicate a different color on the order form or eBa, it will be served in white by default.
 2. The rest of the components will be served according to the Bandalux stylistic criteria.

OTHER OPTIONS

SHORT ASSEMBLED WAND

Retracted = 900mm
 Deployed = 1500mm




LONG ASSEMBLED WAND

Retracted = 1500cm
 Deployed = 300mm

CHANNELS




"L"-SHAPED SIDE CHANNELS
90° AND 96° (S1)



"U"-SHAPED SIDE CHANNELS
90° (S3)

LOWER PROFILE



FIXED PROFILE WITH TENSIONED GUIDE (T1)

🔧 TECHNICAL DATA

MINIMUM AND MAXIMUM SIZES

System	Model	Shade width		Shade height		Surface		Tolerance*
		Maximum	Minimum	Maximum	Minimum	Maximum	Minimum	
IMAGINE SYSTEM	DB10	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB15	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB20	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB30	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB31	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB35	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%
	DB36	1500 mm	150 mm	2200 mm	100 mm	2,2 m ²	0,15 m ²	±0,2% / ±0,5%

ⓘ * In accordance with the european standard EN13120.

NUMBER OF BRACKETS ACCORDING TO SHADE WIDTH

Shade width	No. of brackets
0 - 800 mm	2
810 - 1500 mm	3

STACKING HEIGHTS







Shade height H	DB10 and DB15			DB20			DB30, DB31, DB35 and DB36		
	Fabrics 1	Fabrics 2	Fabrics 3:	Fabrics 1:	Fabrics 2:	Fabrics 3:	Fabrics 1:	Fabrics 2:	Fabrics 3:
500 mm	54 mm	57 mm	61 mm	62 mm	65 mm	69 mm	74 mm	77 mm	81 mm
1000 mm	62 mm	69 mm	77 mm	70 mm	77 mm	85 mm	82 mm	89 mm	97 mm
1500 mm	71 mm	81 mm	94 mm	79 mm	89 mm	102 mm	91 mm	101 mm	114 mm
2000 mm	79 mm	93 mm	110 mm	87 mm	101 mm	118 mm	99 mm	113 mm	130 mm
2200 mm	82 mm	98 mm	117 mm	90 mm	106 mm	125 mm	102 mm	118 mm	137 mm

Fabrics 1: Bouquet, Camouflage, Duette Bag, Duette Barcode, Duetto BO, Duette BO Ignis, Frankfurt, Light, New York, Plain Cell, Points, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.

Fabrics 2: Change, Etamine, Eterea Cell, Future Ignis, Quattrocento, Solar Elegant Wetex, Wash Cell.

Fabrics 3: Blocks, Cellular BO, Cellular Wash BO, Coffee, Denim, Earth, Ecovision, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Tone, View Ignis.

CROSS-SECTIONAL DRAWING AND HEIGHTS OF PROFILES

HEADRAIL 	CLOSURE BOTTOM BAR 	MIDDLE PROFILE (UNION FABRICS) 
"U"-SHAPED SIDE CHANNEL (S3 OPTION) 	"L"-SHAPED SIDE CHANNEL 90° AND 60° (S1 OPTION) 	FIXED GUIDE PROFILE (T1 OPTION) 

contract.bandalux.com

bandalux.com