

Fit Pleat

Pleated shade system integrated to any window or glass door.

**Minimum sizes
(width x height)**

150x100mm

**Maximum sizes
(width x height)**

1280x2300mm

Color

White RAL 9016, Ivory (RAL 9001), Brown (RAL 8019)
 Grey (RAL 9006), Metallic Grey (DB 703)

Operating systems

Handle

InstallationAdhesive on the frame
(front installation)

Options

NIGHT & DAY Models

Total functionalism



Two types of fabrics. Two solutions

PLEATED FABRIC: 20mm pleat

Available in many different colors, textures and transparencies.

CELL FABRIC: 25mm pleat

- Inner beehive-like cell.
- 100% darkness.
- Thermal insulation.

Profile colors

White
RAL 9016

Brown
RAL 8019

Ivory
RAL 9001

Metallic Grey
DB 703

Grey
RAL 9006

Night & Day option

Combination of two fabrics in a single shade for either transparency or privacy at any time of the day.



Semi-blackout option

The FIT shade can provide almost total opacity thanks to the Blackout fabrics range with its different colors and textures, and to the lateral guiding system.



Fit-pleat


A1 CHANNEL

A pleated fabric system with the option of combining two fabrics. Adaptable to windows and glass doors (flat surfaces).



Wide range of fabrics

Wide range of fabrics with different textures, colors and degrees of transparency.



Ultra-resistant adhesive tape without surface damaging

Perfect adhesion to the frame for windows and glass doors:

- Fits perfectly into the structure.
- No drilling. No holes.
- Ultra resistant 3M adhesive tape.



Fit-Pleat

OPTIONS

SERVED BY DEFAULT

"A1" CHANNELS



HANDLE



PROFILE WITH 3M
ADHESIVE TAPE





PROFILE COLORS

- White RAL 9016
- Ivory RAL 9001
- Grey RAL 9006
- Brown RAL 8019
- Gray Metal DB 703

① 1. If you do not indicate a different color on the order form or eBa, it will be served in white by default.
2. The rest of the components will be served according to the Bandalux stylistic criteria.

TECHNICAL DATA

MINIMUM AND MAXIMUM SIZES




Model	Operating system	Shade width		Shade height		Surface	Tolerance*
		Maximum	Minimum	Maximum	Minimum		
BB10	Handle	1280 mm	150 mm	2300 mm	100 mm	3,3 m ²	±0,2% / ±0,5%
BB30	Handle	1280 mm	150 mm	2300 mm	100 mm	3,3 m ²	±0,2% / ±0,5%
BB31	Handle	1280 mm	150 mm	2300 mm	100 mm	3,3 m ²	±0,2% / ±0,5%


① * In accordance with the European standard EN13120.

SECTION AND DIMENSIONS OF HEADRAILS, BOTTOM BARS AND OPTIONS


HEADRAIL




CLOSURE
BOTTOM BAR



"A1" SIDE
CHANNEL



MIDDLE PROFILE
(fabric seam)




YES

NO

INSTALLATION ALLOWED

CHECKING THE MEASUREMENTS:
(Images intended to serve as examples only)

1 Minimum height **15 mm**



The height must be at **least 15 mm** in the upper section, as measured from the molding upward (flat surface).

2 Minimum depth **20 mm**



Minimum space of **20 mm** between the doorknob and the start of the inner molding.

Not suitable for doors with handles similar to the one shown in the photograph.



TAKING THE RIGHT MEASUREMENTS:

! The Fit-Pleat system can only be installed on flat surfaces, glass doors or windows with straight sides without moldings or latches.



ORDER:

Bandalux will supply the shades with the measurements provided by the customer.

	Collection	Type	Width of pleat
1	DENIM	Deco	20 mm
	ETAMINE	Deco	20 mm
	PLAIN CELL	Deco	25 mm
	WASH CELL	Deco	25 mm
2	COFFEE	Deco Translucent	20 mm
	ECOVISION	FR	20 mm 
	POINTS	Deco	20 mm
	SKYLINE	FR	20 mm
	SOLAR ELEGANT WETEX	ANTI-MILDEW	20 mm
	TOKE	FR	20 mm
3	CAMUFLAGE	Deco Translucent	20 mm
	CELLULAR BO	Between crystals-Air Cell	25 mm
	CELLULAR WASH BO	BO	25 mm
	CHANGE	Deco	20 mm
	EARTH	Deco	20 mm
	ETEREA CELL	Deco Translucent	25 mm
	FRANKFURT	FR	20 mm
	HONEY	Deco Translucent	20 mm
	LIGHT	Deco	20 mm
	MILAN	FR Metal	20 mm
	MUST	FR	20 mm
	NEPTUNE	Deco	20 mm
	NEW YORK	FR	20 mm
	SKYLINE METAL	FR Metal	20 mm
4	TORONTO	FR	20 mm
	BLOCKS	Deco	20 mm
	BOUQUET	Deco	20 mm
	DUETTE BAG	Deco	25 mm
	DUETTE BARCODE	Deco	25 mm
	DUETTE BO	BO	25 mm
	FUTURE IGNIS	FR	20 mm
	QUATTROCENTO	Deco	20 mm
	ROSE END	Deco	20 mm
	SEALED IGNIS	FR	20 mm
	SEALED METAL IGNIS	FR Metal	20 mm
	SHEER LINES	Deco	20 mm
	VIEW IGNIS	FR	20 mm
5	DUETTE BO IGNIS	BO FR	25 mm

Deco: Decorative. BO: Blackout Fabric. Metal: Reflective fabric. FR: Fire-retardant fabric. ANTI-MILDEW: Anti-mildew fabric.

contract.bandalux.com

bandalux.com