

VERANDA FLOOR

The updated version of the Veranda Plus system with all the same premium technical features. This shading system is perfect for terraces, roofs and the top floors of buildings. Ready to be installed on walls and roofs, with two lacquered aluminum feet for front support. It is an extremely versatile system, with a striking design that makes it the right choice for both private and public spaces.



AVAILABLE PROFILE COLORS



Glossy
white



Glossy
grey



Glossy
ivory



Textured
anthracite

OPERATING SYSTEM



Motor

MAXIMUM WIDTH

197"

MAXIMUM PROJECTION

197"

MAXIMUM HEIGHT


118"

VERANDA FLOOR


DIMENSIONS AND TECHNICAL DATA




Single module
Frontal view




Top view




Double module
Frontal view



Top view



Lateral view



W: Width

P: Projection

H: Height

VERANDA FLOOR

FABRICS AND OPTIONS

Fabric	Type	Roll width (mm)	FR
POLYSCREEN® 351	Polyscreen®	118 ^{1/8"}	NFPA
ORCHESTRA	Acrylic	47 ^{1/4"}	
POLYSCREEN® 650	Polyscreen®	98 ^{7/16"}	NFPA
OPERA	Acrylic	47 ^{1/4"}	
ORCHESTRA MAX	Acrylic	47 ^{1/4"}	
SOLTIS® 92	Soltis®	69 ^{11/16"} – 105 ^{1/8"}	NFPA


FR: Fire-retardant fabric (NFPA 701: Pass).

Standard configuration


Motor Somfy®
Altus RTS
Ø50 40/14
(≤118" x 118")

Motor Somfy®
Altus RTS
Ø50 50/14
(>118" x 118")

Cassette
wall supports
(option A)



Cassette
ceiling supports
(option B)



Profile
colors

- Glossy white
- Glossy grey
- Glossy ivory
- Textured
anthracite

Optional configuration

Situo 1 RTS Pure
remote control
(widths ≤ 197")



Situo 5 RTS Pure
remote control
(widths > 197")



Windbreaker
profile

ⓘ Recommended
when projection is
greater than 157".

BANDALUX