



> Pleated

FEATURES

BENEFITS

Adaptability

- > The pleated shade adapts perfectly to the recesses of small windows, and even to those of irregularly shaped windows.

Operating system options

- > Available with cord, chain, handle and motor operating systems. The motor operating system can be used for both horizontally and vertically stacking shades.

Combining fabrics

- > The use of the “double fabric” system allows you to combine two fabrics, one decorative and the other blackout.

Two pleat sizes

- > 20 mm for decorative and technical fabrics; 25 mm for double cell and blackout fabrics.

“Equipleat” option

- > Guarantees a long-lasting, even pleat throughout the shade.

THE MOST VERSATILE SHADE

Pleated Shade


Pleated or Cell: 2 styles, 2 solutions



MINIMUM
RETRACTED
SPACE

The pleated fabric is available in many different colors, textures and transparencies. For blackout solutions, Bandalux offers the **Cell model**, a pleated fabric with an indoor 'beehive'-like cell that **ensures maximum darkness**.

Pleated
fabric




Cell
Fabric



Irregular shapes

The pleated design and the reduced retracted size **enable this shade to adapt to any shape and any size of door or window**.



Night and Day



Enables you to **combine two fabrics**: one decorative and the other blackout.

"Equipleat" System

Guarantees a **perfect** and long-lasting pleat of the fabric.



Child Safety System



By default, Bandalux supplies its products with the **child safety system**, which **enables the chain to be fastened to the wall**, to keep children from getting tangled up in it.






Pleated Cell shade

A fabric made of tubular hexagonal cells, with great thermal insulation.

- . Neutral colors.
- . Blackout
- . Fire resistant



PERMANENT
PLEAT





1 A MODELS - RECTANGULAR

See prices on pages 36-39

							
		AO 10	AO 13 Inter-glass	AO 30 AO 31 Night and Day	AO 20	AK 10	AE 10
RETRACTION		UPPER	UPPER	UPPER	VARIABLE	UPPER	UPPER
OPERATION		CORD	CORD	CORD	CORD	CHAIN	MOTOR
SHADE WIDTH	Minimum	400mm	400mm	400mm	400mm	400mm	400mm
	Max. 20 mm fabrics	2350mm	2350mm	2350mm	2350mm	2350mm	2350mm
	Max. 25 mm fabrics	3600mm	2400mm	3000mm	3600mm	3600mm	4400mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm	600mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
MAXIMUM SURFACE	GRA	6m ²	6m ²	5m ²	5m ²	8m ²	9m ²
	GRB	5m ²	5m ²	4m ²	4m ²	6m ²	8m ²
	GRC	5m ²	5m ²	4m ²	4m ²	6m ²	7m ²
	GRD	4m ²	4m ²	3m ²	3m ²	5m ²	6m ²
OPTIONS		C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1	F1,R1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1	C1, F1, F2, F3, R1, R2, R3, S3, A1 ⁽²⁾ , M1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , M1

① (1) Maximum width 1200mm

(2) Maximum width 1800mm

(3) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis



2 A MODELS - IRREGULAR



		AO 40 With upper angle	AO 70 Angle only
RETRACTION		UPPER	UPPER
OPERATION		CORD	CORD
SHADE WIDTH	Minimum	400mm	400mm
	Max. 20 mm fabrics	2350mm	2350mm
	Max. 25 mm fabrics	2400mm	2400mm
SHADE HEIGHT	Minimum	100mm	100mm
	Max. 20 mm fabrics	2600mm	2000mm
	Max. 25 mm fabrics	3000mm	2000mm
MAXIMUM SURFACE	GRA	6m ²	4,8m ²
	GRB	5m ²	4,8m ²
	GRC	5m ²	4,8m ²
	GRD	4m ²	4,8m ²
ANGLE	Minimum	1°	1°
	Maximum	50°	60°
OPTIONS		C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2

⚠ The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis



3 B MODELS - RECTANGULAR

						
						
		BO 10	BO 16	BO 20	BO 30 BO 31 Night and Day	BO 35 BO 36 Night and Day
RETRACTION		UPPER	LOWER	LOWER AND UPPER	UPPER	LOWER
OPERATION		CORD	CORD	CORD	CORD	CORD
SHADE WIDTH	Minimum	400mm	400mm	400mm	400mm	400mm
	Max. 20 mm fabrics	2350mm	2350mm	2350mm	2350mm	2350mm
	Max. 25 mm fabrics	2400mm	2400mm	2400mm	2400mm	2400mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	3000mm	3000mm	3000mm	3000mm	3000mm
MAXIMUM SURFACE	GRA	6m ²	6m ²	6m ²	5m ²	5m ²
	GRB	5m ²	5m ²	5m ²	4m ²	4m ²
	GRC	4m ²	4m ²	4m ²	2m ²	2m ²
	GRD	3,5m ²	3,5m ²	3,5m ²	2,5m ²	2,5m ²
OPTIONS		C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1, M2	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽¹⁾ , B1, M1, M2

- (1) Maximum width 1200mm
 (2) Maximum width 1800mm
 (3) An extendible wand is optionally available for models with handles
 (4) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano
GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles
GRC FABRICS: Opac Cell
GRD FABRICS: Opac Cell Ignis



3 B MODELS - RECTANGULAR

		BK 10	BK 16	BB 10	BB 15	BB 20 With tensioned upper profile
RETRACTION		UPPER	LOWER	UPPER	LOWER	VARIABLE
OPERATION		CHAIN	CHAIN	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	400mm	400mm	150mm	150mm	150mm
	Max. 20 mm fabrics	2350mm	2350mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	3000mm	2950mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	600mm	600mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2200mm	2200mm	2200mm
	Max. 25 mm fabrics	3000mm	3000mm	2200mm	2200mm	2200mm
MAXIMUM SURFACE	GRA	8m ²	8m ²	3,3m ²	3,3m ²	3,3m ²
	GRB	6m ²	6m ²	3,3m ²	3,3m ²	3,3m ²
	GRC	4m ²	4m ²	3,3m ²	3,3m ²	3,3m ²
	GRD	3,5m ²	3,5m ²	3,3m ²	3,3m ²	3,3m ²
OPTIONS		C1, F1, F2, F3, R1, R2, R3, S3, A1 ⁽²⁾ , M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S3, A1 ⁽²⁾ , M1, M2	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1

① (1) Maximum width 1200mm

(2) Maximum width 1800mm

(3) An extendible wand is optionally available for models with handles

(4) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis



3 B MODELS - RECTANGULAR

						
		BB 24	BB 30 BB 31 Night and Day	BB 35 BB 36 Night and Day	BE 10	BE 16
RETRACTION		VARIABLE	UPPER	LOWER	UPPER	LOWER
OPERATION		HANDLE	HANDLE	HANDLE	MOTOR	MOTOR
SHADE WIDTH	Minimum	300mm	150mm	150mm	400mm	400mm
	Max. 20 mm fabrics	1280mm	1500mm	1500mm	2350mm	2350mm
	Max. 25 mm fabrics	1280mm	1500mm	1500mm	4400mm	3600mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2200mm	2200mm	2200mm	2600mm	2600mm
	Max. 25 mm fabrics	2200mm	2200mm	2200mm	3000mm	3000mm
MAXIMUM SURFACE	GRA	2,8m ²	3,3m ²	3,3m ²	8m ²	8m ²
	GRB	2,8m ²	3,3m ²	3,3m ²	6m ²	6m ²
	GRC	2,8m ²	3,3m ²	3,3m ²	4m ²	4m ²
	GRD	2,8m ²	3,3m ²	3,3m ²	4m ²	4m ²
OPTIONS		C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1, M1, M2

① (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis


4 B MODELS - IRREGULAR

		See prices on pages 42	See prices on pages 44		See prices on pages 43	See prices on pages 43	See prices on pages 43
		B075	BB 40* Sloped upper section		BB 60 Sloped side	BB 61 Trapezoid	BB 65 Sloped side
RETRACTION		LOWER	UPPER		LOWER	LOWER	UPPER
OPERATION		CORD	HANDLE		HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	400mm	0mm	0mm	120mm	120mm	150mm
	Minimum lower	0mm	300mm	300mm	150mm	150mm	120mm
	Max. 20 mm fabrics	2300mm	1500mm	1200mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	2300mm	1500mm	1200mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	100mm	300mm	300mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	1500mm	2200mm	2200mm	2200mm	2200mm
	Max. 25 mm fabrics	2600mm	1500mm	2200mm	2200mm	2200mm	2200mm
MAXIMUM SURFACE	GRA	5m ²	2,2m ²	2,6m ²	3,3m ²	3,3m ²	3,3m ²
	GRB	5m ²	2,2m ²	2,6m ²	3,3m ²	3,3m ²	3,3m ²
	GRC	5m ²	2,2m ²	2,6m ²	3,3m ²	3,3m ²	3,3m ²
	GRD	5m ²	2,2m ²	2,6m ²	3,3m ²	3,3m ²	3,3m ²
ANGLE	Minimum	10°	--	--	10°	10°	10°
	Maximum	60°	--	--	89°	89°	89°
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		--	--	--	880mm	690mm	880mm
OPTIONS		C1, F1, F2, F3, R1, R2	C1, F1, F2, F3, R1, R2, R3, M1, T1		C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2, R3, M1

❗ (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis



4 B MODELS - IRREGULAR



❗ The shaded section that appears in the drawings below **WILL NOT** be covered by the shade.



		BB 66 Trapezoid	BB 70 Right triangle	BB 71 Triangle without a right angle	BB 75 Right triangle	BB 76 Triangle without a right angle
RETRACTION		UPPER	LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	150mm	00mm	00mm	150mm	150mm
	Minimum lower	120mm	150mm	150mm	0mm	0mm
	Max. 20 mm fabrics	1500mm	1000mm	1500mm	1000mm	1500mm
	Max. 25 mm fabrics	1500mm	1000mm	1500mm	1000mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2200mm	2200mm	2200mm	2200mm	2200mm
	Max. 25 mm fabrics	2200mm	2200mm	2200mm	2200mm	2200mm
MAXIMUM SURFACE	GRA	3,3m ²	2,2m ²	3,3m ²	2,2m ²	3,3m ²
	GRB	3,3m ²	2,2m ²	3,3m ²	2,2m ²	3,3m ²
	GRC	3,3m ²	2,2m ²	3,3m ²	2,2m ²	3,3m ²
	GRD	3,3m ²	2,2m ²	3,3m ²	2,2m ²	3,3m ²
ANGLE	Minimum	10°	10°	10°	10°	10°
	Maximum	89°	89°	89°	89°	89°
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		690mm	1000mm	750mm	1000mm	750mm
OPTIONS		C1, F1, F2, F3, R1, R2, R3, M1	F1, F2, F3, R1, M1	F1, F2, F3, R1, M1	F1, F2, F3, R1, M1	F1, F2, F3, R1, M1

❗ (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis


4 B MODELS - IRREGULAR

See prices on
pages 44

See prices on
pages 45

See prices on
pages 44

See prices on
pages 45


		BB 80 Irregular shape above	BB 81 Hexagonal shape	BB 85 Irregular shape below	BB 86 Hexagonal shape
RETRACTION		LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	120mm	120mm	350mm	500mm
	Minimum lower	350mm	500mm	120mm	120mm
	Max. 20 mm fabrics	1500mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	1500mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	300mm	300mm	300mm	300mm
	Max. 20 mm fabrics	2200mm	2200mm	2200mm	2200mm
	Max. 25 mm fabrics	2200mm	2200mm	2200mm	2200mm
MAXIMUM SURFACE	GRA	3,3m ²	3,3m ²	3,3m ²	3,3m ²
	GRB	3,3m ²	3,3m ²	3,3m ²	3,3m ²
	GRC	3,3m ²	3,3m ²	3,3m ²	3,3m ²
	GRD	3,3m ²	3,3m ²	3,3m ²	3,3m ²
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		1380mm	1380mm	1380mm	1380mm
OPTIONS		C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2, R3, M1	C1, F1, F2, F3, R1, R2, R3, M1

① (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis

Shade > Pleated

TECHNICAL DATA




5 B MODELS - FIXED AND IRREGULAR



		BF 50 BF 55	BF 51 BF 56	BF 52
SHADE WIDTH	Minimum	150mm	150mm	150mm
	Max. 20 mm fabrics	600mm	1200mm	1200mm
	Max. 25 mm fabrics	600mm	1200mm	1200mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm
	Max. 20 mm fabrics	600mm	1200mm	1200mm
	Max. 25 mm fabrics	600mm	1200mm	1200mm
MAXIMUM SURFACE		0,36m ²	0,72m ²	1,44m ²
OPTIONS		F1, R1, R2	F1, R1, R2	F1, R1, R2

ⓘ In order to manufacture this shade, the customer must indispensably send Bandalux a real-size template. (We recommend using a roll of brown paper)

6 D MODELS - REGULAR





		DB 10	DB 15	DB 20	DB 30 DB 31 Night and Day	DB 35 DB 36 Night and Day
RETRACTION		UPPER	LOWER	VARIABLE	UPPER	LOWER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	150mm	150mm	150mm	150mm	150mm
	Max. 20 mm fabrics	1500mm	1500mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	1500mm	1500mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2200mm	2200mm	2200mm	2200mm	2200mm
	Max. 25 mm fabrics	2200mm	2200mm	2200mm	2200mm	2200mm
MAXIMUM SURFACE		2,2m ²	2,2m ²	2,2m ²	2,2m ²	2,2m ²
OPTIONS		F1, R1, R2, R3, S1, S3, T1	F1, R1, R2, R3, S1, S3, T1	F1, R1, R2, R3, S1, S3, T1	F1, R1, R2, R3, S1, S3, T1	F1, R1, R2, R3, S1, S3, T1




ⓘ (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39


7 P MODELS - RECTANGULAR

					
		PB 10	PB 15	PB 20	PB 30 PB 31 Night and Day
RETRACTION		UPPER	LOWER	VARIABLE	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	150mm	150mm	150mm	150mm
	Max. 20 mm fabrics	1500mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	1500mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	4500mm	4500mm	4500mm	4500mm
	Max. 25 mm fabrics	3500mm	3500mm	3500mm	3500mm
MAXIMUM SURFACE	GRA	7m ²	7m ²	7m ²	6m ²
	GRB	6m ²	6m ²	6m ²	5m ²
	GRC	5m ²	5m ²	5m ²	4m ²
	GRD	4m ²	4m ²	4m ²	3,5m ²
OPTIONS		F1, R1, R2, R3, S1 ⁽³⁾ , M1, M2	F1, R1, R2, R3, S1 ⁽³⁾ , M1, M2	F1, R1, R2, R3, S1 ⁽³⁾ , M1, M2	F1, R1, R2, R3, S1 ⁽³⁾ , M1, M2

❗ In order to manufacture this shade, the customer must indispensably send Bandalux a real-size template. (We recommend using a roll of brown paper)

				
		PB 35 PB 36 Night and Day	PE 10 PE 11	PE 15 PE 16
RETRACTION		LOWER	UPPER	LOWER
OPERATION		HANDLE	MOTOR	MOTOR
SHADE WIDTH	Minimum	150mm	260mm	260mm
	Max. 20 mm fabrics	1500mm	2300mm	2300mm
	Max. 25 mm fabrics	1500mm	2300mm	2300mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm
	Max. 20 mm fabrics	4500mm	4500mm	4500mm
	Max. 25 mm fabrics	3500mm	3500mm	3500mm
MAXIMUM SURFACE	GRA	6m ²	7m ²	7m ²
	GRB	5m ²	6m ²	6m ²
	GRC	4m ²	5m ²	5m ²
	GRD	3,5m ²	4m ²	4m ²
OPTIONS		F1, R1, R2, R3, S1 ⁽³⁾ , M1, M2	F1, R1, R2, R3, M1, M2, S1	F1, R1, R2, R3, M1, M2, S1

❗ (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39

(3) Only applicable with inverted side channels

GRA FABRICS: Solar Elegant Wetex, Etamine, Denim, Sonata, Bliss, Solar Elegant Ignis, Luna, Piano

GRB FABRICS: Ecovision, Lumiere Nacar, Aria, Skyline, Skyline Metal, Mistral, Solar Nacar Ignis, Silk Romance, Mambo, Rumba, Pebbles

GRC FABRICS: Opac Cell

GRD FABRICS: Opac Cell Ignis



8 P MODELS - IRREGULAR



⚠ The shaded section that appears in the drawings below **WILL NOT** be covered by the shade.



		PB40 Upper profile with slope	PB41 Pointed upper profiles	PB45 Lower profile with slope	PB46 Pointed lower profiles
RETRACTION		LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	0mm	0mm	150mm	150mm
	Minimum lower	150mm	150mm	0mm	0mm
	Max. 20 mm fabrics	1000mm	1500mm	1000mm	1500mm
	Max. 25 mm fabrics	1000mm	1500mm	1000mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	2600mm	2600mm	2600mm	2600mm
MAXIMUM SURFACE		2,6m ²	3,9m ²	2,6m ²	3,9m ²
ANGLE	Minimum	10°	10°	10°	10°
	Maximum	60°	60°	60°	60°
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		1000mm	750mm	1000mm	750mm
OPTIONS		F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1

⚠ (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39


8 P MODELS - IRREGULAR

		 PB 60 Irregular side shape	 PB 61 Trapezoid shape	 PB 65 Irregular side shape	 PB 66 Trapezoid shape
RETRACTION		LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	120mm	120mm	150mm	150mm
	Minimum lower	150mm	150mm	120mm	120mm
	Max. 20 mm fabrics	1500mm	1500mm	1500mm	1500mm
	Max. 25 mm fabrics	1500mm	1500mm	1500mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	2600mm	2600mm	2600mm	2600mm
MAXIMUM SURFACE		3,9m ²	3,9m ²	3,9m ²	3,9m ²
ANGLE	Minimum	10°	10°	10°	10°
	Maximum	89°	89°	89°	89°
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		880mm	690mm	880mm	690mm
OPTIONS		F1, R1, R2, M1, M2	F1, R1, R2, M1, M2	F1, R1, R2, M1, M2	F1, R1, R2, M1, M2

❶ (1) An extendible wand is optionally available for models with handles

❷ (2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39



8 P MODELS - IRREGULAR



① The shaded section that appears in the drawings below WILL NOT be covered by the shade.



		PB 70 Right triangle	PB 71 Triangle without a right angle	PB 75 Right triangle	PB 76 Triangle without a right angle
RETRACTION		LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	0mm	0mm	150mm	150mm
	Minimum lower	150mm	150mm	0mm	0mm
	Max. 20 mm fabrics	1000mm	1500mm	1000mm	1500mm
	Max. 25 mm fabrics	1000mm	1500mm	1000mm	1500mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm	100mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	2600mm	2600mm	2600mm	2600mm
MAXIMUM SURFACE		2,6m ²	3,9m ²	2,6m ²	3,9m ²
ANGLE	Minimum	10°	10°	10°	10°
	Maximum	89°	89°	89°	89°
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		1000mm	750mm	1000mm	750mm
OPTIONS		F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1

① (1) An extendible wand is optionally available for models with handles

(2) The measurements are approximate and may vary depending on the fabric and roller width. Please check this information on pages 36-39


8 P MODELS - IRREGULAR

					
					
		PB 80 Irregular shape above	PB 81 Hexagonal shape	PB 85 Irregular shape below	PB 86 Hexagonal shape
RETRACTION		LOWER	LOWER	UPPER	UPPER
OPERATION		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	120mm	120mm	400mm	400mm
	Minimum lower	400mm	400mm	120mm	120mm
	Max. 20 mm fabrics	1000mm	1200mm	1000mm	1200mm
	Max. 25 mm fabrics	1000mm	1200mm	1000mm	1200mm
SHADE HEIGHT	Minimum	300mm	300mm	300mm	300mm
	Max. 20 mm fabrics	2600mm	2600mm	2600mm	2600mm
	Max. 25 mm fabrics	2600mm	2600mm	2600mm	2600mm
MAXIMUM SURFACE		2,6m ²	3,1m ²	2,6m ²	3,1m ²
ANGLE	Minimum	-	-	-	-
	Maximum	-	-	-	-
MAXIMUM LENGTH OF 'W' MEASUREMENT (see page 63)		880mm	690mm	880mm	690mm
OPTIONS		F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1	F1, R1, R2, M1



9 RETRACTION HEIGHT

9.1 Retracted heights in models: AO, BO, BB, DB, PB (mm)

	10 SERIES		
Shade height H	FABRICS 1	FABRICS 2	FABRICS 3
500mm	54mm	57mm	61mm
1000mm	62mm	69mm	77mm
1500mm	71mm	81mm	94mm
2000mm	79mm	93mm	110mm
2500mm	88mm	105mm	126mm
3000mm	96mm	117mm	142mm
3500mm	105mm	129mm	158mm

	20 SERIES and 30 SERIES		
Shade height H	FABRICS 1	FABRICS 2	FABRICS 3
500mm	62mm	65mm	69mm
1000mm	70mm	77mm	85mm
1500mm	79mm	89mm	102mm
2000mm	87mm	101mm	118mm
2500mm	96mm	113mm	134mm
3000mm	104mm	125mm	150mm
3500mm	113mm	137mm	166mm

9.2 Retracted heights in models: AE, AK, BK, BE, PE (mm)

	10 SERIES		
Shade height H	FABRICS 1	FABRICS 2	FABRICS 3
500mm	74mm	77mm	81mm
1000mm	82mm	89mm	97mm
1500mm	91mm	101mm	114mm
2000mm	99mm	113mm	130mm
2500mm	108mm	125mm	146mm
3000mm	116mm	137mm	162mm
3500mm	125mm	149mm	178mm
4000mm	133mm	161mm	194mm
4500mm	142mm	173mm	211mm

FABRICS 1: LUNA, SOLAR NACAR IGNIS, SOLAR ELEGANT IGNIS.

FABRICS 2: MAMBO, RUMBA, SOLAR ELEGANT WETEX, BLISS, LIMIERE NACAR, PEBBLES, PIANO, SILK ROMANCE, ETAMINE, OPAC CELL, OPAC CELL IGNIS.










FABRICS 3: SONATA, ARIA, DENIM, SKYLINE, SKYLINE METAL, MISTRAL, ECOVISION.

10 INFORMATION ON AVAILABLE MOTORS

TYPE	MODEL	Ø mm	Nm.	r.p.m.	power (W)
SOMFY® CABLE 24V	LV 25 0,6/35 LATERAL	24	0,6	35	14




11 CROSS-SECTIONAL DRAWING AND HEIGHTS OF HEADRAILS, BOTTOM RAILS AND OPTIONS

Headrail for cord and handle operation 	Headrail for chain and motor operation 	Free drop bottom rail 
Closure bottom rail (guided) 	Profile additional installation options M1 and M2 	Middle profile (fabric seam) 
"U"-shaped side channel, option A1 and S3 	"L"-shaped side channel 90° and 96° - option S1 	Fixed profile for guided option T1 

12 MAXIMUM LENGTH OF MEASUREMENT 'W'

See irregular pleated shade models on pages: 53, 54, 55, 58, 59, 60 and 61.





3 years
warranty

The warranty period is **3 years from date of purchase** on original invoice.

WHAT IS COVERED

- ✓ **Materials.**
- ✓ **Systems and internal mechanisms.**
- ✓ **Components and brackets.**

WHAT IS NOT COVERED:

- . If the product has not been installed in accordance with the installation instructions.
- . Any conditions caused by normal wear and tear.
- . Accidents, misuse and/or alterations to the product.
- . Exposure to elements such as sun, wind, water and/or humidity and over time discoloration or fading.
- . Shipping charges, cost of removal and/or reinstallation.
- . Measurement variations of height and/or width of the blinds or shade of +/-0.2% or less.
- . Any treatment applied to the product, be it for washing or any other purpose that is not expressly recommended by Bandalux.
- . The proximity of the shades or blinds to abnormal heat sources and/or corrosive chemical that may alter the quality, appearance and presentation of the product, as well as functionality.
- . Damages due to consequences of natural disasters, and/or unforeseeable circumstances.