

VERANDA ZIP

A Veranda solution with a ZIP zipper guide system that helps to keep the fabric taut. Perfect for both the vertical and horizontal shading of conservatories, glass roofs and all types of enclosures. Different supports available for all types of installation needs. The side guides design allows direct mounting without supports, both lateral and frontal, ideal to minimize the passage of light. A motor drive retracts the fabric into a 130 mm cassette.



AVAILABLE PROFILE COLORS



OPERATING SYSTEM



MAXIMUM WIDTH

157"

MAXIMUM PROJECTION


157"

VERANDA ZIP

DIMENSIONS AND TECHNICAL DATA




Rear view




W: Width
P: Projection

Top view



Modules and side guides



VERANDA ZIP

FABRICS AND OPTIONS

Fabric	Type	Roll width (mm)	FR
BLACKOUT 118 FR ^(A)	Blackout	118 ^{1/8"}	NFPA
MATTE BO ^(A)	Blackout	72 ^{1/16"} - 98 ^{7/16"}	
MEGA BO FR	Blackout	118 ^{1/8"}	NFPA
POLYSCREEN® 351 ^(A)	Polyscreen®	118 ^{1/8"}	NFPA
TREND	Blackout	98 ^{7/16"}	
TREND LIGHT	Blackout	118 ^{1/8"}	
SOLTIS® 92	Soltis®	105 ^{1/8"}	NFPA


❶ (A) Indoor installation. Skylight special application. / FR: Fire-retardant fabric (NFPA 701: Pass).

Standard configuration

Motor Somfy®
Altus RTS
ø50 40/14
(≤118"x118")

Motor Somfy®
Altus RTS
ø50 50/14
(>118"x118")

Adjustable
guide
support



Profile
colors

- Glossy white
- Glossy grey
- Textured anthracite

Optional configuration

Situo 1 RTS Pure
remote control



Situo 5 RTS Pure
remote control



BANDALUX